| | Application No. | Applicant(s) |
|--|--|-------------------------------|
| Notice of Allowability | 10/812,252 | ROHRER, JÖHN W. |
| | Examiner | Art Unit |
| | Stanton I Blow | 2744 |
| | Stephen L. Blau | 3711 |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | |
| 1. This communication is responsive to <u>1/4/07</u> . | | |
| 2. The allowed claim(s) is/are <u>1-11</u> . | | |
| 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. | | |
| 2. Certified copies of the priority documents have been received in Application No | | |
| 3. Copies of the certified copies of the priority documents have been received in this national stage application from the | | |
| International Bureau (PCT Rule 17.2(a)). | | |
| * Certified copies not received: | | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. | | |
| 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. | | |
| (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached | | |
| 1) hereto or 2) to Paper No./Mail Date | | |
| (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date | | |
| Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). | | |
| 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| | | • |
| | | |
| · | | |
| | | |
| Attachment(s) 1. Notice of References Cited (PTO-892) | 5. Notice of Informal P | atent Application |
| 2. Notice of Draftperson's Patent Drawing Review (PTO-948) | 6. ☑ Interview Summary | • • |
| 3. Information Disclosure Statements (PTO/SB/08), | Paper No./Mail Dat 7. ⊠ Examiner's Amendn | |
| Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit | _ | ent of Reasons for Allowance |
| of Biological Material | 9. Other | 21 . Isassins is . I morrange |
| | 3. 🗀 Oulei | |
| | | |
| | | |
| | | |

10/812,252 Art Unit: 3711

DETAILED ACTION

Specification

1. The changes to the specification dated 17 October 2007 are approved and entered. As such the objections to the specification are removed.

Claim Rejections - 35 USC § 112

2. Due to the amendment to the claims dated 17 October 2007 being non-compliant those changes have not been entered and the last approved list of claims is the list dated 13 August 2007. The following Examiner's amendment to the last approved list of claims dated 13 August 2007 over comes the rejection to claims 3 under 35 U.S.C. 112, second paragraph.

EXAMINER'S AMENDMENT

3. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Art Unit: 3711

Authorization for this examiner's amendment was given in a telephone interview with Mr. John W. Rohrer on 4 January 2008.

The application (Claims dated 13 August 2007) has been amended as follows: In claim 3 line 1 the words "said" has been replaced by the word --a--.

Drawings

4. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because the approved replacement drawings dated 1 December 2006 are not formal (i.e. uniformly thick lines and numbers, etc...). Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen L. Blau whose telephone number is (571) 272-4406. The examiner can normally be reached on Mon - Fri 10:00 AM - 6:30 PM.

10/812,252 Art Unit: 3711

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eugene Kim can be reached on (571) 272-4463. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Slb/ 4 January 2007

TUMARY EXAMINER